Healthcare SECTOR RANSOMWARE SPOTLIGHTS

Investigative Cybercrime Series



Table of Contents

Healthcare Sector Ransomware Highlights O4 Typical Demands & Payments

Controls
That Reduce
Payment

O6 The Top
Ransomware
Families in
Healthcare

Ransomware Techniques & Mitigations

10 Looking to Learn More?

Introduction

Ransomware has continuously evolved since it first arrived on the scene in 1989. Over the past 34 years, researchers have explored the rise of ransomware fueled by its ease of distribution, shortened path to monetization, and the parallel growth of cryptocurrency.

In the first two volumes of the Investigative Cybercrime Series, we leveraged data from Arete ransomware engagements to analyze trends in cyberattacks, ransom payments, and effective controls across multiple sectors.

In this report, we will dive deeper into healthcare sector data, which represents 13.0% of all events in our observation period—from May 2019 through May 2022. This data led us to explore trends in ransomware families, controls, and mitigation techniques.

The Investigative Cybercrime Series is an ongoing research effort to unmask insidious cyber threats and lessen their impact on insurers and the organizations they cover.

The data for this research comes directly from security incidents investigated by Arete and the intelligence operations supporting those investigations.



Healthcare Sector Ransomware Highlights

Every sector has been affected by ransomware, and healthcare is no exception. It's not hard to imagine worst-case scenarios, particularly when PHI and patient outcomes can be affected. We offer this sector-specific analysis along with actionable insights to better equip defenders as they protect against the rising risk of ransomware attacks.

WHERE DOES HEALTHCARE STAND RELATIVE TO OTHER INDUSTRIES ON SOME KEY RANSOMWARE STATISTICS?

When examining the chart below, follow the pink line that notes the position of the healthcare sector when it comes to frequency of attacks, typical demand, typical payment, and payment likelihood.




Figure 1-Sector's important values compared to others

KEY TAKEAWAYS

As Figure 1 illustrates, healthcare ranks fourth of all sectors when it comes to the frequency of ransomware attacks. Healthcare cases represented 13% of Arete's ransomware caseload, compared to professional services, which holds the top spot with 35.8%.

Following the pink line, we also can see that healthcare drops towards the lower end of the spectrum for the amount of typical demand (\$132.8K) and falls to the lowest for typical payment (\$63.8K). We see it jump back up to the top of the pack, though, when it comes to the likelihood of paying ransoms, with 73.7%.

Typical Demands and Payments

Table 1 offers more insight into these data points. Note that the "typical" number is the geometric mean, which is what we have used in the ranking graphic in Figure 1. Table 1 also notes two additional values—average and extreme, and looking at all three of these values together provides some additional insight. Due to the wide range of demands within the healthcare sector, the average here is skewed by a few very large demands. The "extreme" category represents the 95th percentile, which highlights the largest ransoms demanded. With all three of these values, we can create a more accurate picture of what is truly being demanded and paid.

You can also compare these values to the overall trends in Table 1 in Volume 1 on page 8.

	Typical	Average	Extreme
Demands	\$132.8K	\$824.5K	\$3.4M
Payments	\$63.8K	\$236.1K	\$897.2K


Table 1—Sector's summary of demands and payments

KEY TAKEAWAYS

Notably, extreme demands within the healthcare sector, while high, are some of the lowest across all those observed. Although the demands are comparatively low, the extreme payments are about 14 times the size of typical payments.

Take a moment to examine the difference in the percentage paid: healthcare organizations paid about one-half the amount of typical ransom demands and about one-third of extreme demands.

Overall, we are seeing that healthcare demands are trending up; however, payments seem to still be level.



Controls that Reduce Payments

As the prevalence of ransomware continues to rise, many organizations work to put controls in place so that if a compromise occurs, the impact will be more manageable to mitigate. These controls, including backups, multifactor authentication (MFA), and endpoint detection and response (EDR), can all play a role in helping keep your organization safe.

Our data demonstrates that utilizing these controls affects the typical percentage of demand paid (percent paid) and payment likelihood.

	Adoption Rate	Percent Paid	Payment Likelihood
Overall			
		38.7%	70.0%
Multi-factor authentication	19.3%	34.4%	52.0%
Performing backups	59.0%	41.9%	78.5%
Proven recovery Proven recovery	22.6%	30.5%	52.2%
Endpoint detection & response	21.3%	58.7%	44.4%

Table 2—Comparing values for sector when a given control is in place

KEY TAKEAWAYS

Less than one in four organizations in the healthcare sector has MFA in place, while just over half report performing regular backups.

Interestingly, just having an EDR platform is one of the more effective ways to decrease the payment likelihood in the healthcare sector. While only 19% of healthcare organizations in our data set report having MFA in place, those that do typically pay 34.4% of the demanded ransom and have a 52% likelihood of paying. Just under a quarter of the organizations demonstrated

the ability to recover, and those that do typically

pay just 30.5% of the demanded ransom and have a 52.2% likelihood of paying. Surprisingly, while over half the healthcare organizations in our data set performed backups, those organizations typically paid 41.9% of the demanded ransom and were 78.5% likely to pay.

Having multiple

controls in place will allow your

organization to

leverage the most

negotiating power.

an EDR platform in place results in stronger protection and a reduced likelihood of paying a ransom. The implementation of an EDR platform can be used to help evaluate potential risk.

Our data shows having

This data indicates that having multiple controls in place will allow your organization to leverage the most negotiating power when it comes to a ransomware incident. Just performing backups isn't enough to thwart attackers and lower payments.

Top Ransomware Families in Healthcare

With the proliferation of ransomware-as-a-service (RaaS) operations, we are seeing an increase not only in ransomware families but also in the number of "family members" within each family. We explored this development in more detail in Volume 2 of the Investigative Cybercrime Series, Reining in Ransomware.

Suffice it to say, ransomware families can be extremely volatile, changing names and shifting operations often. Due to increasing government investigations, key operators of many of these ransomware families have been arrested. However, that doesn't diminish the threat of ransomware as a whole or the potential for new families to be created.

In Figure 2, we look at the top five ransomware families that impacted the healthcare sector since 2019. The figure is color-coded according to the families' current state of activity:



You can also compare this industry-specific figure to the overall trend, featured in Figure 2 in Volume 2.



Figure 2—Most prevalent ransomware families observed in healthcare incidents

KFY TAKFAWAYS

Figure 2 demonstrates an influx of new ransomware families that have arrived on the scene. The first thing that jumps out is how no family managed to stay in the top five for the entire period, but that didn't stop them from making their presence felt.

When REvil was discovered in 2019, it was noted to be an evolution of GandCrab ransomware. In 2020, REvil launched a few high-profile attacks, including one on the law firm Grubman Shire Meiselas & Sacks that represented then–U.S. President Donald Trump, Lady Gaga, and Madonna.

Just because a ransomware family exists one day does not mean that it will exist with the same name or operate under the same capacity the next day.

In July 2021, REvil returned to the public eye by exploiting zero-day vulnerabilities in Kaseya. Shortly after the media hype around Kaseya, REvil quietly disappeared, and their websites were taken offline. LockBit, on the other hand, was gaining traction, while Conti has become inactive over the past year. Instead, many of Conti's members are suspected to have found homes with other ransomware groups.

Suncrypt, while not a new ransomware family, was new in targeting the healthcare sector in 2022. This RaaS family runs a small affiliate group that allows both the affiliate and organizers to make money off the ransomware. In 2022, Suncrypt was updated and now includes the capability to terminate processes, stop services, and clean the machine of any evidence of ransomware execution.

Ransomware Techniques & Mitigations

The methods and mitigations presented in this section are based on the MITRE ATT&CK framework. This is done partly because ATT&CK is quickly becoming the common language of threat tactics and techniques used across the cybersecurity industry. Another benefit of using ATT&CK is that it enables readers to easily find definitions and examples of each technique referenced and explore a wealth of information on associated threat groups, malicious software, mitigations, attack simulations, etc.

INITIAL ACCESS METHODS

During a ransomware investigation, Arete's incident response team takes special care to determine the initial access technique. Everything that happens afterward relies on attackers successfully introducing malware into the victim's environment, and preventing that from happening in the first place is the best way to keep your business protected. Understanding common infection vectors can help organizations focus their preventive strategies.

Top Techniques - Initial Access



Top Mitigations - Initial Access

M1017	User Training	83.8%
M1054	Software Configuration	50.5%
M1049	Antivirus/Antimalware	50.5%
M1031	Network Intrusion Prevention	50.5%
M1021	Restrict Web-Based Content	50.5%

Figure 3—Sector's top initial access techniques and mitigations

Observed in 50.5% of cases, phishing is the most common way ransomware is initially introduced into healthcare organizations. The other top techniques for initial access, including valid accounts, drive-by compromise, external remote services, and replication via media were utilized much less frequently in 14.1 to 33.3% of cases.

The top variant impacting healthcare organizations changes from year to year, but what has not changed is phishing is the most common way that ransomware initially finds its way into these organizations.

The second part of Figure 3 shows the recommended practices based on <u>ATT&CK mitigations</u> associated with the initial access capabilities exhibited by the top malware families. The percentages are based on the proportion of incidents potentially thwarted by each practice.

<u>User training</u>, specifically around common social engineering schemes, and promoting norms of healthy skepticism may have helped in more than 80% of these cases. The four-way tie for second place demonstrates the importance of software configuration, antivirus/antimalware, network intrusion prevention, and restricting web-based content. Note that each of these defensive measures can neutralize ransomware despite the opening of a dangerous link or attachment.

MID-EVENT TACTICS

What happens when malicious users have access to your systems? At the tactical level, these users utilize techniques to <u>maintain persistence</u> in the victim's environment, <u>escalate privileges</u> to gain more access, <u>discover</u> additional target systems and data, <u>move laterally</u> across the internal network, <u>evade security defenses</u>, establish <u>command and control</u> channels, <u>collect</u> and encrypt data, and other costly <u>impacts</u>.

Top Techniques - Mid-Event



Percent of cases with techniques from a top 20 family

Top Mitigations - Mid-Event



Percent of cases with mitigation linked to techniques from a top 20 family

Figure 4—Sector's top mid-event techniques and mitigations

Figure 4 ranks post-compromise techniques associated with the most common ransomware strains encountered by victims in the healthcare sector. The percentages correspond to the proportion of cases involving ransomware possessing each capability. Since these techniques ostensibly contribute to the success of top campaigns, they offer a forewarning of what a threat actor might attempt should an infection occur in your systems.


Command and scripting interpreter techniques were quite popular among malicious users, showing up in 84.3% of cases, with process injection coming in at a close second at 78%.

The top mitigation techniques are all extremely close, with the top spot at 100% being shared by code signing and behavior prevention on the endpoint. Still in the 90s, the "bottom" three mitigations are execution prevention, privileged account management, and user account management. Defensive strategies that include mitigations for the top post-compromise techniques can help organizations prevent data exfiltration and loss of availability in the event of an incident.

DATA EXFILTRATION AND IMPACT

We all know that ransomware encrypts data and holds it for ransom. However, it's becoming increasingly popular among criminals to also steal sensitive data from their victims and threaten to release it unless they pay up—see our previous report's section on payment reasons over time for more info.

Top Techniques - Data Exfil/Impact



Percent of cases with techniques from a top 20 family

Top Mitigations - Data Exfil/Impact



Percent of cases with mitigation linked to techniques from a top 20 family

Figure 5-Sector's top data exfil/impact techniques and mitigations

Data encryption for impact was used in 100% of the ransomware cases that impacted the healthcare sector. The next most popular technique was inhibiting system recovery, which makes sense; in order for the criminals to make their ransom demand credible, they need to have sole access to your data.

Data encryption is the top technique used for impact. To mitigate risk of data exfiltration, user training and data backups are two key controls to consider when evaluating healthcare insureds.

The top mitigation techniques are data backup and behavior prevention on endpoint. It's important to remember that demonstrating the ability to recover from backups is critical to mitigating these types of incidents and returning to business as usual. Operating system configuration is at the middle of the pack but highlights the importance of building a system that prioritizes not just efficiency but safety as well.

KFY TAKFAWAYS

Organizations are rightfully concerned about the rise and sustained dominance of ransomware as a tool of choice among cyber criminals. However, successful campaigns rely on more than one thing going right for the attacker. Defenders have more options and information about their adversaries than ever to tailor protections across multiple stages of developing incidents. It's our hope that healthcare organizations can combine the insights above with their expertise to do exactly that.

LOOKING TO LEARN MORE?

While this report looks solely at how ransomware has impacted the healthcare sector, we invite you to take a macro look at how these trends are impacting the overall business landscape. For additional analysis about how ransomware is impacting the world today, head over to the Investigative Cybercrime Series, Vol 1 & Vol 2.





<u>Arete</u> transforms the way organizations prepare for, respond to, and prevent cybercrime. With decades of experience and best-in-class technology, our team of experts provides comprehensive end-to-end services, from incident response and restoration to advisory and managed services.



<u>The Cyentia Institute</u> is a research and data science firm working to advance cybersecurity knowledge and practice. We pursue this goal through our data-driven products and joint research publications like this study.